
10/538,858

FILE 'HOME' ENTERED AT 12:22:17 ON 11 MAR 2008

=> file req

=> Uploading C:\Program Files\Stnexp\Queries\Queries\10538858.str



25 28 29 34 26 34 25 36 37 38 39 39 39 39 39 39

chain nodes :

11 12 13 14 15 22 23 25 26 27 28 29 30 31 33

ring nodes :

1 2 3 4 5 6 7 8 9 10 16 17 18 19 20 21

chain bonds :

 $1-11 \quad 11-12 \quad 11-13 \quad 13-14 \quad 13-15 \quad 15-27 \quad 15-28 \quad 21-26 \quad 22-25 \quad 22-23 \quad 22-27 \quad 26-27 \quad 26-27$

29-30 29-31 31-33

ring bonds :

 $1-2 \quad 1-6 \quad 2-3 \quad 3-4 \quad 4-5 \quad 4-7 \quad 5-6 \quad 5-10 \quad 7-8 \quad 8-9 \quad 9-10 \quad 16-17 \quad 16-21 \quad 17-18 \quad 18-19$

19-20 20-21

exact/norm bonds :

 $1-2 \quad 1-6 \quad 1-11 \quad 2-3 \quad 3-4 \quad 4-5 \quad 4-7 \quad 5-6 \quad 5-10 \quad 7-8 \quad 8-9 \quad 9-10 \quad 11-12 \quad 11-13 \quad 13-14$

 $13 - 15 \quad 15 - 27 \quad 15 - 28 \quad 21 - 26 \quad 22 - 25 \quad 22 - 23 \quad 22 - 27 \quad 26 - 27 \quad 29 - 30 \quad 29 - 31 \quad 31 - 33$

normalized bonds :

16-17 16-21 17-18 18-19 19-20 20-21

isolated ring systems :

containing 1 : 16 :

G1:H,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom

11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:Atom 17:Atom 18:Atom

19:Atom 20:Atom 21:Atom 22:CLASS 23:CLASS 25:CLASS 26:CLASS 27:CLASS

28:CLASS 29:CLASS 30:CLASS 31:CLASS 33:CLASS 34:Atom

=> s 11 sam

L2 12 SEA SSS SAM L1

=> s 11 full

L3 219 SEA SSS FUL L1

=> file caplus


=> s 13

L4 1153 L3

10/538,858

 \Rightarrow s 14 and pd < dec 2002 22860227 PD < DEC 2002 (PD<20021200) 1.5 591 L4 AND PD < DEC 2002 => s 15 and crystalline 82262 CRYSTALLINE 2 L5 AND CRYSTALLINE 1.7 => dis 17 1-2 bib abs hitstr ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN L7 2002:724292 CAPLUS Full-text ΑN 138:192997 DM ТΤ Solid-state investigations of crystalline and amorphous lisinopril and stabilization of amorphous lisinopril and quinapril hydrochloride ΑU Hu, Yong Purdue Univ., West Lafayette, IN, USA CS (2001) 169 pp. Avail.: UMI, Order No. DA3037582 SO From: Diss. Abstr. Int., B 2002, 62(12), 5742 DT Dissertation English LA AΒ Unavailable 82586-55-8, Quinapril hydrochloride ΤT RL: PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (solid-state investigations of crystalline and amorphous lisinopril and stabilization of amorphous lisinopril and quinapril hydrochloride) 82586-55-8 CAPLUS RN CN 3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[(1S)-1-(ethoxycarbonyl)-3phenylpropyl]amino]-1-oxopropyl]-1,2,3,4-tetrahydro-, hydrochloride (1:1), (3S) - (CA INDEX NAME)

Absolute stereochemistry.



L7ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN ΑN 1989:38911 CAPLUS Full-text 110:38911 DNPreparation of crystalline quinapril, a known antihypertensive ΤI Goel, Om P.; Krolls, Uldis ΙN PΑ Warner-Lambert Co., USA SO U.S., 4 pp. CODEN: USXXAM DT Patent

10/538,858

LA English FAN.CNT 1

11114.0141 1															
	PA:	TENT 1	. O <i>l</i> .			KINI)	DATE		Al	PPL	LICATION NO.		DATE	
							-								
ΡI	US	4761	479			Α		1988	0802	U:	S 1	987-32209		19870330	<
	AU	88123	383			Α		1988	0929	Α	J 1	988-12383		19880229	<
	AU	6055	55			В2		1991	0117						
	ZA	8801	426			Α		1989	1025	Z_{i}	A 1	988-1426		19880229	<
	CA	12919	999			С		1991	1112	CZ	A 1	988-560594		19880304	<
	ΕP	285992			A1		1988	1012	El	2 1	988-105131		19880329	<	
	ΕP	28599	92			В1		1991	0403						
		R:	ΑT,	BE,	CH,	DE,	ES,	FR,	GB,	GR,	ΙΤ,	LI, LU, NL,	SE		
	JΡ	63258459				Α		1988	1025	JI	2 1	988-73492		19880329	<
	ΑT	6222	9			T		1991	0415	A.	Г 1	.988-105131		19880329	<
PRAI	US	1987-32209			Α		1987	0330							
	EP 1988-105131				A		1988	0329							

AB The title compound (I) an angiotensin converting enzyme and antihypertensive agent is prepared in a highly pure state. A solution of I in glacial AcOH containing HCl(g) was stirred for 2 h 20 min and was diluted with xylene; the process was repeated, the glossy solid dissolved in MeNC at 60°, and the product dried at 50° under vacuum for 16 h to give 91.2% I-HCl.

IT 85441-61-8, Quinapril

RL: PROC (Process)

(conversion of, to crystalline quinapril-hydrochloride)

RN 85441-61-8 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[[(1S)-1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1-oxopropyl]-1,2,3,4-tetrahydro-, (3S)- (CA INDEX NAME)

Absolute stereochemistry.

IT 82586-55-8P, Quinapril hydrochloride RL: SPN (Synthetic preparation); PREP (Preparation) (crystalline, preparation of)

RN 82586-55-8 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[[(1S)-1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1-oxopropyl]-1,2,3,4-tetrahydro-, hydrochloride (1:1), (3S)- (CA INDEX NAME)

Absolute stereochemistry.

HC1

=> s 15 and nitroalkane 1499 NITROALKANE

L8 0 L5 AND NITROALKANE

=> s 15 and impurities

212112 IMPURITIES

L9 1 L5 AND IMPURITIES

=> s 19 not 17

L10 1 L9 NOT L7

=> dis 110 bib abs hitstr

L10 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2000:536766 CAPLUS Full-text

DN 133:227914

- TI A validated HPLC method for the assay determination of quinapril, and benazepril in pharmaceuticals and purity evaluation of quinapril in bulk drugs
- AU Sreenivas, Rao D.; Srinivasu, M. K.; Narayana, Ch. Lakshmi; Reddy, G. Om
- CS Department of Analytical R&D, Dr. Reddy's Research Foundation, Hyderabad, 500050, India
- SO Indian Drugs (2000), 37(2), 80-85 CODEN: INDRBA; ISSN: 0019-462X
- PB Indian Drug Manufacturers' Association
- DT Journal
- LA English
- AB A reversed-phase, isocratic HPLC method was developed for the quant. determination of ACE inhibitors viz., quinapril, benazepril in bulk drugs and in pharmaceutical dosages. The proposed method is also applicable for the purity evaluation of quinapril in bulk drugs. Benazepril was used as internal standard for the quant. determination of quinapril and vice-versa. The method has been completely validated and proven to be robust. The limit of detection and limit of quantitation for quinapril impurities namely quinaprilat, cyclised quinaprilat and cyclised quinapril were found to be 2.0 μg and 8.0 μg resp. The two drugs were extracted from their resp. tablets using methanol. The percentage recoveries ranged from 96.3 to 98.4 and from 100.4 to 103.5 for quinapril and benazepril resp.
- IT 82768-85-2, Quinaprilat 85441-61-8, Quinapril
 - RL: ANT (Analyte); ANST (Analytical study)

(determination of quinapril, and benazepril in pharmaceuticals and purity evaluation of quinapril in bulk drugs by HPLC)

- RN 82768-85-2 CAPLUS
- CN 3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[[(1S)-1-carboxy-3-

phenylpropyl]amino]-1-oxopropyl]-1,2,3,4-tetrahydro-, (3S)- (CA INDEX NAME)

Absolute stereochemistry.

RN 85441-61-8 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 2-[(2S)-2-[[(1S)-1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1-oxopropyl]-1,2,3,4-tetrahydro-, (3S)- (CA INDEX NAME)

Absolute stereochemistry.

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y
STN INTERNATIONAL LOGOFF AT 12:26:34 ON 11 MAR 2008